BEST AVAILABLE COPY

PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 6:

G06F 1/00

A1

(11) International Publication Number: WO 98/09209

(43) International Publication Date: 5 March 1998 (05.03.98)

(21) International Application Number:

PCT/US97/15243

(22) International Filing Date:

29 August 1997 (29.08.97)

(30) Priority Data:

08/706,206

30 August 1996 (30.08.96)

US

(71) Applicant: INTERTRUST TECHNOLOGIES CORP. [US/US]; 460 Oakmead Parkway, Sunnyvale, CA 94086 (US).

(72) Inventors: GINTER, Karl, L.; 10404 43rd Avenue, Beltsville, MD 20705 (US). SHEAR, Victor, H.; 5203 Battery Lane, Bethesda, MD 20814 (US). SIBERT, W., Olin; 30 Ingleside Road, Lexington, MA 02173-2522 (US). SPAHN, Francis, J.; 2410 Edwards Avenue, El Cerrito, CA 94530 (US). VAN WIE, David, M.; 1250 Lakeside Drive, Sunnyvale, CA 94086 (US).

(74) Agent: FARIS, Robert, W.; Nixon & Vanderhye P.C., 8th floor, 1100 North Glebe Road, Arlington, VA 22201-4714 (US). (81) Designated States: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GE, GH, HU, IL, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, UZ, VN, YU, ZW, ARIPO patent (GH, KE, LS, MW, SD, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG).

Published


With international search report.

Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.

(54) Title: SYSTEMS AND METHODS FOR SECURE TRANSACTION MANAGEMENT AND ELECTRONIC RIGHTS PROTECTION

(57) Abstract

The present invention provides systems and methods for electronic commerce including secure transaction management and electronic rights Electronic appliances such as computers employed in accordance with the present invention help to ensure that information is accessed and used only in authorized ways, and maintain the integrity, availability, and/or confidentiality of the information. Secure subsystems used with such electronic appliances provide a distributed virtual distribution environment (VDE) that may enforce a secure chain of handling and control, for example, to control and/or meter or otherwise monitor use of electronically stored or disseminated information. Such a virtual distribution environment may be used to protect rights of various participants in electronic commerce and other electronic or electronic-facilitated transactions. Secure distributed and other operating system environments and architectures, employing, for example, secure semiconductor processing arrangements that may establish secure, protected environments at each node. These techniques may be used to support an end-to-end electronic information distribution capability that may be used, for example, utilizing the "electronic highway".





US005892900A

OTHER PUBLICATIONS

Applications Requirements for Innovative Video Program-

ming; How to Foster (or Cripple) Program Development Opportunities for Interactive Video Programs Delivered on

Optical Media; A Challenge for the Introduction of DVD

(Digital Video Disc) (19-20 Oct. 1995, Sheraton Universal

Bruner, Rick E., PowerAgent, NetBot help advertisers reach Internet shoppers, Aug. 1997 (Document from Internet).

CD ROM, Introducing . . . The Workflow CD-ROM Sam-

pler, Creative Networks, MCIMail: Creative Networks, Inc.,

United States Patent [19]

Ginter et al.

Patent Number:

Hotel, Universal City CA).

Palo Alto, California.

"electronic highway."

Date of Patent:

5,892,900

Apr. 6, 1999

[54] SYSTEMS AND METHODS FOR SECURE TRANSACTION MANAGEMENT AND ELECTRONIC RIGHTS PROTECTION

[75] Inventors: Karl L. Ginter, Beltsville; Victor H. Shear, Bethesda, both of Md.; W. Olin Sibert, Lexington, Mass.; Francis J. Spahn, El Cerrito; David M. Van Wie, Sunnyvale, both of Calif.

[73] Assignee: InterTrust Technologies Corp., Sunnyvale, Calif.

[21] Appl. No.: 706,206

[22] Filed: Aug. 30, 1996

G06F 11/00 [51] Int. Cl.6 U.S. Cl. 395/186; 395/184.01 [52]

. 395/186, 187.01, [58] Field of Search 395/188.01, 218, 200.59; 380/4, 25, 30,

825.31, 825.34

(List continued on next page.)

Primary Examiner-Robert W. Beausoliel, Jr. Assistant Examiner-Pierre F. Elisca Attorney, Agent, or Firm-Nixon & Vanderhye P.C.

ABSTRACT

The present invention provides systems and methods for electronic commerce including secure transaction management and electronic rights protection. Electronic appliances such as computers employed in accordance with the present invention help to ensure that information is accessed and used only in authorized ways, and maintain the integrity, availability, and/or confidentiality of the information. Secure subsystems used with such electronic appliances provide a distributed virtual distribution environment (VDE) that may enforce a secure chain of handling and control, for example, to control and/or meter or otherwise monitor use of electronically stored or disseminated information. Such a virtual distribution environment may be used to protect rights of various participants in electronic commerce and other electronic or electronic-facilitated transactions. Secure distributed and other operating system environments and architectures, employing, for example, secure semiconductor processing arrangements that may establish secure, protected environments at each node. These techniques may be used to support an end-to-end electronic information distribution capability that may be used, for example, utilizing the

References Cited [56]

U.S. PATENT DOCUMENTS

3.573.747	4/1971	Adams et al.	 73/862.58


(List continued on next page.)

FOREIGN PATENT DOCUMENTS

9 004 79	12/1984	Belgium .
0 84 441	7/1983	European Pat. Off
0128672	12/1984	European Pat. Off
A0135422	3/1985	European Pat. Off
0180460	5/1986	European Pat. Off
0 370 146	11/1988	European Pat. Off
0399822A2	11/1990	European Pat. Off
0421409A2	4/1991	European Pat. Off
0 456 386 A2	11/1991	European Pat. Off
0 469 864 A2	2/1992	European Pat. Off
0 469 864 A3	2/1992	European Pat. Off
0 565 314 A2	10/1993	European Pat. Off
0 593 305 A2	4/1994	European Pat. Off
0 651 554 A1	5/1995	European Pat. Off

(List continued on next page.)

220 Claims, 163 Drawing Sheets



- Rease see this US Potent equivaled for the drawning and disclusive.

5

10

20

WE CLAIM:

1. A rights management appliance including:

a user input device,

a user display device,

at least one processor, and

at least one element defining a protected processing environment.

characterized in that the protected processing environment stores and uses permissions, methods, keys, programs and/or other information to electronically manage rights.

2. In a rights management appliance including:

a user input device,

15 a user display device,

at least one processor, and

at least one element defining a protected processing environment,

a method of operating the appliance characterized by the step of storing and using permissions, methods, keys, programs and/or other information to electronically manage rights.

3. A rights management appliance including at least one processor element at least in part defining a protected processing

WO 98/09209 PCT/US97/15243

environment, characterized in that the protected processing environment stores and uses permissions, methods, keys, programs and/or other information to electronically manage rights.

5

10

15

- 4. In a rights management appliance including at least one processor element at least in part defining a protected processing environment, a method comprising storing and using permissions, methods, keys, programs and/or other information to electronically manage rights.
- 5. An electronic appliance arrangement containing at least one secure processing unit and at least one secure database operatively connected to at least one of said secure processing unit(s), said arrangement including means to monitor usage of at least one aspect of appliance usage and control said usage based at least in part upon protected appliance usage control information.
- 6. In an electronic appliance arrangement containing at least one secure processing unit and at least one secure database operatively connected to at least one of said secure processing unit(s), a method characterized by the steps of monitoring usage of at least one aspect of appliance usage and controlling said

10

usage based at least in part upon protected appliance usage control information.

- 7. An electronic appliance arrangement containing a

 protected processing environment and at least one secure
 database operatively connected to said protected processing
 environment, said arrangement including means to monitor
 usage of at least one aspect of an amount of appliance usage and
 control said usage based at least in part upon protected
 appliance usage control information processed at least in part
 through use of said protected processing environment.
- 8. In an electronic appliance arrangement containing a protected processing environment and at least one secure

 database operatively connected to said protected processing environment, a method characterized by the steps of monitoring usage of at least one aspect of appliance usage and controlling said usage based at least in part upon protected appliance usage control information processed at least in part through use of said protected processing environment.
 - 9. An electronic appliance arrangement containing one or more CPUs wherein at least one of the CPUs incorporates an integrated secure processing unit, said arrangement storing

PCT/US97/15243

WO 98/09209

protected appliance usage control information designed to be securely processed by said integrated secure processing unit.

10. In an electronic appliance arrangement containing one or more CPUs wherein at least one of the CPUs incorporates an integrated secure processing unit, a method including the step of storing and securely processing protected modular component appliance usage control information with said integrated secure processing unit.

10

5

11. A method of compromising a distributed electronic rights management system comprising plural nodes having protected processing environments, characterized by the following steps:

15

20

- (a) exposing a certification private key,
- (b) passing at least one challenge/response protocol and/or exposing at least one external communication key based at least in part on the key exposed by the exposing step,
- (c) creating a processing environment based at least in part on steps (a) and (b), and

participating in distributed rights management using the processing environment created by step (c).

12. A processing environment for compromising a distributed electronic rights management system comprising plural nodes having protected processing environments, characterized by the following:

5

protocol passing means including an exposed certification private key for passing at least one challenge/response protocol,

means coupled to the protocol passing means for at least one of (a) defeating an initialization challenge/response security, and/or (b) exposing external communication keys, and

10

15

means coupled to the security detecting means for participating in distributed rights management.

13. A method of compromising a distributed electronic rights management system comprising plural nodes having associated protected processing environments, characterized by the steps of:

compromising the permissions record of an electronic container, and

using the compromised permissions record to access and/or use electronic information.

20

14. A system for compromising a distributed electronic rights management system comprising plural nodes having associated protected processing environments, characterized by means for

WO 98/09209 PCT/US97/15243

using a compromised permissions record of an electronic container for accessing and/or using electronic information.

15. A method of tampering with a protected processing environment characterized by the steps of:

discovering at least one system-wide key, and using the key to obtain access to content and/or administrative information without authorization.

5

20

- 16. An arrangement including means for using at least one compromised system-wide key to decrypt and compromise content and/or administrative information of a protected processing environment without authorization.
- 17. A combination general and secure processing computation element comprising:

a central processing unit;

at least one secure resource; and

a secure mode interface switch coupled between a centrla processing unit and the secure resource, the switch operable alternately in a secure mode and in a non secure mode, the switch blocking access by a central processing unit to the secure resource except when the switch is operating in the secure mode.

18. A secure printing method comprising:
downloading a decryption program to an intelligent
printer;

sending an encrypted print stream to the printer;

decrypting the encrypted print stream within the printer using the decryption program; and destroying the downloaded decryption program.

This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

BLACK BORDERS

IMAGE CUT OFF AT TOP, BOTTOM OR SIDES

FADED TEXT OR DRAWING

BLURRED OR ILLEGIBLE TEXT OR DRAWING

SKEWED/SLANTED IMAGES

COLOR OR BLACK AND WHITE PHOTOGRAPHS

GRAY SCALE DOCUMENTS

LINES OR MARKS ON ORIGINAL DOCUMENT

REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY

IMAGES ARE BEST AVAILABLE COPY.

OTHER:

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.